

Attribut:Allows value

"Allows value" is a predefined property that can define a list of permissible values to restrict value assignments for a property and is provided by Semantic MediaWiki. This property is pre-deployed (also known as special property) and comes with additional administrative privileges but can be used just like any other user-defined property.

Usage 204

previous 20 20 50 100 250 500 next 20

Filter ...

Showing 20 pages using this property.

A

Area + Habitat + , Food + , Water + , ...

B

BookVisible + yes +

Business + Training + , Manufacturer + , Industrial + , ...

C

Complete + Published + , Draft +

Currency + EUR (€) + , USD (\$) + , GBP (£) +

D

Difficulty + Very easy + , Easy + , Medium + , ...

DokitEPIEnable + yes +

DokitItemEnable + yes +

DokitManualEnable + yes +

DokitPageEnable + yes +

DokitPageImageColumns + OneColumn + , TwoColumns + , ThreeColumns + , ...

DokitPageImageWidth + DokitPageImagewidth +

DokitPageSpace + S + , M + , L +

DokitPageTitleType + H1 + , H2 + , H3 + , ...

DokitPageVeColumns + OneColumnVe + , TwoColumnsVe + , ThreeColumnsVe + , ...

DokitPageWarningType + Dont + , Info + , Warning + , ...

DokitSummaryEnable + yes +

DokitTutoEnable + yes +

Duration-type + minute(s) + , hour(s) + , day(s) + , ...

E

EPI + attention + , refer-to-instruction-manual + , use-hearing-protection + , ...